# Product Specifications







## 158EZNF



Type N Female EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable

## **General Specifications**

InterfaceN FemaleBody StyleStraightBrandEZfit®Mounting AngleStraight

Ordering Note

## **Electrical Specifications**

Connector Impedance 50 ohm

Operating Frequency Band 0 – 2700 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -116 dBm @ 1800 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 707.00 V
dc Test Voltage 2000 V
Outer Contact Resistance, maximum 0.30 mOhm
Inner Contact Resistance, maximum 2.00 mOhm
Insulation Resistance, minimum 5000 MOhm
Average Power 0.6 kW @ 900 MHz

Peak Power, maximum 10.00 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -130 dB

# Product Specifications




158EZNF





# **Outline Drawing**



# **Mechanical Specifications**

Outer Contact Attachment Method Clamp
Inner Contact Attachment Method Captivated
Outer Contact Plating Trimetal
Inner Contact Plating Silver

Inner Contact Plating Silver
Attachment Durability 25 cycles
Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Connector Retention Tensile Force 2224 N | 500 lbf

Connector Retention Torque 13.56 N-m | 120.00 in lb Insertion Force 66.72 N | 15.00 lbf Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Pressurizable No

## **Dimensions**

Nominal Size 1-5/8 in

# **Environmental Specifications**

Operating Temperature  $-40 \, ^{\circ}\text{C} \text{ to } +85 \, ^{\circ}\text{C} \, (-40 \, ^{\circ}\text{F to } +185 \, ^{\circ}\text{F})$ Storage Temperature  $-55 \, ^{\circ}\text{C} \, \text{to } +85 \, ^{\circ}\text{C} \, (-67 \, ^{\circ}\text{F to } +185 \, ^{\circ}\text{F})$ 

Immersion Depth 1 m

# Product Specifications



ANDREW

POWERED BY

158EZNF

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66
Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Mated

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

### **Standard Conditions**

**Immersion Test Mating** 

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

#### **Return Loss/VSWR**

Frequency Band	VSWR	Return Loss (dB)	
45-400 MHz	1.02	41.50	
401-805 MHz	1.03	37.60	
806-960 MHz	1.03	36.90	
961-1709 MHz	1.03	35.70	
1710-2170 MHz	1.04	33.50	
2170-2399 MHz	1.05	31.70	
2400-2700 MHz	1.06	30.80	

## **Regulatory Compliance/Certifications**

#### **Agency**

RoHS 2011/65/EU Con

China RoHS SJ/T 11364-2006

ISO 9001:2008

### Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system





### \* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05v freq (GHz) (not applicable for elliptical waveguide)