

Closet Connector Housing (CCH) Panel, pigtailed, SC Connectors

Duplex, UPC, 12 F, Single-mode (OS2)

CORNING

Corning Cable Systems Closet Connector Housing Panels (CCH-CP) are offered in a variety of fiber counts for use with LANscape® Solutions hardware products for a “one-size-fits-all” approach. Used with factory-installed or field-installable connectors, these panels provide inter-connect or cross-connect capability in a housing at main cross-connections, intermediate cross-connections, telecommunication rooms or work areas. Available with a variety of industry-standard adapter types, the CCH-CP provides an efficient way to securely mate two connectors and offers multimode and single-mode applications.

Features and Benefits

Universal design approach


One-size-fits-all LANscape® Solutions housings

Broadest range of fiber count and adapter types


Solutions for all needs

Colored icon labeling

Easy connector identification



Part Number: CCH-CP12-59-P03RH



Part Number: CCH-CP12-59-P03RH



Closet Connector Housing (CCH) Panel, pigtailed, SC Connectors

Duplex, UPC, 12 F, Single-mode (OS2)

CORNING

Specifications

General Specifications

Application	Enterprise Networks, Data Center
Product Type	Panels & Modules
Fiber Category	Single-mode (OS2)
Cable Type Stubbed	MIC® Cable subunit

Design - Hardware

Connector Type A	SC
Connector Polish	UPC
Fiber Count	12
Number of Adapters per Panel	12
Pigtail Length	9.84 ft (3 m)

Design Adapter

Adapter Housing Color	Blue
Adapter Housing Material	Composite
Adapter Style	Standard
Adapter Type	SC duplex
Insert Material	Ceramic

Design - Connector A

Housing Color	Blue
---------------	------

Chemical Characteristics

RoHS	Free of hazardous substances according to RoHS 2002/95/EG
------	---

Closet Connector Housing (CCH) Panel, pigtailed, SC Connectors

Duplex, UPC, 12 F, Single-mode (OS2)

CORNING

Ordering Information

Order Number	CCH-CP12-59-P03RH
Product Description	Closet Connector Housing (CCH) Panel, pigtailed, SC connectors, Duplex, UPC, 12 F, Single-mode (OS2)

Shipping Information

Units per Delivery	1/1
Package Contents	CCH Adapter Panel with 3 m pigtail; installation guide

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA

800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.

CORNING