

Classic Closet Connector Housings (CLSSC)

A LANscape®
Solutions Product

features and benefits |

Interconnect and cross-connect capability	Ideal for field connectorization
Ideal for loose tube, tight buffer and ribbon	Variety of options
Field-installed lock kit	Security
Quality tested	Meets ANSI/TIA/EIA-568A and 606
Mounting provisions for buffer tube fan-out kits	Ideal for field connectorization
Housings have sliding tray (01U and 02U) or open top at front (03U and 04U)	Ease of access

Corning Cable Systems Classic Closet Connector Housings (CLSSC) provide interconnect or cross-connect capabilities between outside plant, riser or distribution cables and opto-electronics. The housings accept CCH connector panels. The units are designed for rack mounting in 19-in (48 cm) racks or optional 23-in (58 cm) equipment racks (1.75-in EIA hole spacing). The CLSSC-01U and -02U can be mounted in 23-in racks by flipping the provided 19-in housing brackets, while 23-in extension brackets are available for the CLSSC-03U and -04U. They are available in rack space options of 1U (two panels), 2U (four panels), 3U (six panels) and 4U (twelve panels). The 1U and 2U options feature a slide-out tray, while 3U and 4U options are designed with an open top at the front of the housing for ease of access and jumper routing.

Classic closet connector housings are compatible with CCH connector panels for multimode and single-mode applications in 6-, 8-, 12-, 16- and 24-fiber configurations. Documentation labels are provided and components

(continued)




Classic Closet Connector Housings (CLSSC)


A LANscape®
Solutions Product

can be added as needed to construct a fiber distribution frame for any application. The units include multiple locations for jumper egress and come with the universal cable clamp for cable strain-relief.


The 03U and 04U versions include a removable tinted-polycarbonate front door, and optional top and side covers are also available. All size housings have field-installable lock kits available.




CLSSC-01U (up to 48 fibers) | Drawing ZA-2801



CLSSC-02U (up to 96 fibers) | Drawing ZA-2800



CLSSC-03U (up to 144 fibers) | Drawing ZA-2799



CLSSC-04U (up to 288 fibers) | Drawing CPC-220/5/1

Note: One "U" = One industry-standard rack space of 1.75 in.

Classic Closet Connector Housings (CLSSC)

A LANscape®
Solutions Product

specifications |

	Dimensions (H x W x D) cm (in)	Shipping Weight kg (lb)
CLSSC-01U	4.4 x 43.2 x 30.5 (1.75 x 17 x 12)	4 (8.7)
CLSSC-02U	8.9 x 43.2 x 30.5 (3.5 x 17 x 12)	4.3 (9.5)
CLSSC-03U	13.3 x 43.2 x 30.5 (5.25 x 17 x 12)	4.6 (10.2)
CLSSC-04U	17.8 x 43.2 x 30.5 (7 x 17 x 12)	4.9 (10.8)

ordering information |

Part Number	Description
CLSSC-01U	Classic Closet Connector Housing; accepts up to 2 CCH panels; comes with blank panels and hardware to strain-relieve 1 cable with the universal cable clamp (UCC) or up to (5) 0.4-in or smaller cables with the UCC insert
CLSSC-02U	Classic Closet Connector Housing; accepts up to 4 CCH panels; comes with blank panels and hardware to strain-relieve 1 cable with the universal cable clamp (UCC) or up to (5) 0.4-in or smaller cables with the UCC insert
CLSSC-03U	Classic Closet Connector Housing; accepts up to 6 CCH panels; comes with blank panels and hardware to strain-relieve 1 cable with the universal cable clamp (UCC) or up to (5) 0.4-in or smaller cables with the UCC insert
CLSSC-04U	Classic Closet Connector Housing; accepts up to 12 CCH panels; comes with blank panels and hardware to strain-relieve 1 cable with the universal cable clamp (UCC) or up to (5) 0.4-in or smaller cables with the UCC insert

Accessories

CLSSC1-LABEL-10	Replacement Label Kit for the CLSSC-01U, -02U, -03U housings; contains 10 1U high labels
CLSSC4-LABEL-10	Replacement Label Kit for the CLSSC-04U housing; contains 10 4U labels
CPP-UCC-KIT	Universal Cable Clamp Kit for CLSSC-01U and CLSSC-02U, includes 1 UCC clamp and inserts
CLSSC4-UCC-KIT	Universal Cable Clamp Kit for CLSSC-03U and CLSSC-04U, includes 2 UCC clamps and inserts and 2 central member strain-relief kits

Note: Connector panels and modules must be ordered separately.

Classic Closet Connector Housings (CLSSC)

A LANscape®
Solutions Product

ordering information | (continued)

Part Number	Description
Accessories	
CJP-01U	Closet Jumper Management Panel; provides jumper management in a 1.75-in rack space
CJP-02U	Closet Jumper Management Panel; provides jumper management in a 3.5-in rack space
HDWR-LOCK-KIT	Lock Kit for front door of all CLSSC housings, and/or rear door of CLSSC-03U, -04U; contains 1 lock with 2 keys
FDC-CABLE-GRND	Armored Cable Grounding Kit; contains armored grounding clip and ground strap
CLSSC4-TOP-CVR	Patch Field Cover that covers top opening in CLSSC-03U and CLSSC-04U housings
CLSSC4-SIDEPNL	Side Panels to enclose CLSSC-04U housing; kit includes 2 panels
CDF-03U-23-BKT	23-in Mounting Brackets for the CLSSC-03U (1 pair)
CDF-04U-23-BKT	23-in Mounting Brackets for the CLSSC-04U (1 pair)
CDF-01U-24-BKT	24-in Mounting Brackets for the CLSSC-01U (1 pair)
CDF-02U-24-BKT	24-in Mounting Brackets for the CLSSC-02U (1 pair)
CDF-03U-24-BKT	24-in Mounting Brackets for the CLSSC-03U (1 pair)
CDF-04U-24-BKT	24-in Mounting Brackets for the CLSSC-04U (1 pair)
CLSSC1-RECESS-KIT	Flush-Mount Brackets for the CLSSC-01U (5 pairs)
CLSSC2-RECESS-KIT	Flush-Mount Brackets for the CLSSC-02U (1 pair)
CPP-03U-RECESS-KIT	Flush-Mount Brackets for the CLSSC-03U (1 pair)
CPP-04U-RECESS-KIT	Flush-Mount Brackets for the CLSSC-04U (1 pair)

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

Corning Cable Systems reserves the right to improve, enhance and modify the features and specifications of Corning Cable Systems products without prior notification. LANscape is a registered trademark of Corning Cable Systems Brands, Inc. All other trademarks are the properties of their respective owners. Corning Cable Systems is ISO 9001 certified.
© 2012 Corning Cable Systems. All rights reserved. Published in the USA. LAN-1392-EN / March 2012