

# Wall-Mountable Interconnect Center (WIC) Panel, SC Adapters

6 F, Single-mode (OS2)

CORNING

Corning Cable Systems Wall-Mountable Interconnect Center (WIC) Connector Panels are offered in a variety of fiber counts for use with Wall-Mountable Interconnect Center Housings. Used with factory-installed or field-installable connectors, these panels and their compact, modular housings are ideal for use in building entrance terminals, wiring closets, open office, and other controlled locations where space is at a premium.

Available with a variety of industry-standard adapter types, WIC panels provide an efficient way to securely mate two connectors and offers multimode and single-mode applications in 6- and 8-fiber count options, plus 12- and 16-fiber count options with MT-RJ and LC duplex connector adapters.

## Features and Benefits

**Compatible with the wall-mountable splice center (WSC) and other interconnect hardware**

Easy expansion, high flexibility and future growth

**Easy access to individual connectors**

Simple management of future moves, adds and changes

## Specifications

| General Specifications       |                     |
|------------------------------|---------------------|
| Application                  | Enterprise Networks |
| Product Type                 | Panels & Modules    |
| Fiber Category               | Single-mode (OS2)   |
|                              |                     |
| Design - Hardware            |                     |
| Connector Polish             | UPC                 |
| Fiber Count                  | 6                   |
| Number of Adapters per Panel | 6                   |
|                              |                     |

# Wall-Mountable Interconnect Center (WIC) Panel, SC Adapters

6 F, Single-mode (OS2)

CORNING

## Design Adapter

|                          |           |
|--------------------------|-----------|
| Adapter Housing Color    | Blue      |
| Adapter Housing Material | Composite |
| Adapter Style            | Standard  |
| Adapter Type             | SC        |
| Insert Material          | Ceramic   |

## Chemical Characteristics

|      |   |
|------|---|
| RoHS | Free of hazardous substances according to RoHS 2002/95/EG |
|------|---|

## Ordering Information

|                     |   |
|---------------------|---|
| Part Number         | WIC-CP1-38  |
| Product Description | Wall-Mountable Interconnect Center (WIC) Panel, SC adapters, 6 F, Single-mode (OS2) |

## Shipping Information

|                    |  |
|--------------------|--|
| Units per Delivery | 1/1  |
| Package Contents   | WIC Panel with adapters; instruction sheet; 2 mounting screws, #4-40 x 0.25-in |



Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA

800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/cablesystems](http://www.corning.com/cablesystems)

A complete listing of the trademarks of Corning Cable Systems is available at [www.corning.com/cablesystems/trademarks](http://www.corning.com/cablesystems/trademarks).

Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.

CORNING