



Quam

INDIVIDUAL LOUDSPEAKERS

8C10FECO

COAXIAL

8" O.D. Speaker, 10 Ounce Magnet, Foam-Edge, CoAx, 8 Ω

GENERAL DESCRIPTION


The **8C10FECO** is an 8" O.D. coaxial loudspeaker with a foam edge surround, piezo tweeter, 10 oz. magnet, and an 8 Ohm nominal impedance. Frame has black powder coat finish.

INTENDED USE - Indoor Environment


Program Material | Signal tones, voice, and music

AUDIO SPECIFICATIONS

Average Sensitivity	95 dB SPL, 1W/ 1M
Loudspeaker Power Rating	20W RMS, EIA 426A Standard
Calculated Output	108 dB SPL, 5W/ 1M
Magnet Type & Weight	BeFe Ceramic, 10 oz. Nominal
Frequency Response	40 Hz - 20 kHz EIA 426A Standard
Nominal Coverage Angle	90° Included Angle, -6 dB / 2 kHz, Half space
Audio Connection	0.205" Spade lug



Ø8



Recommended construction sequences, installation instructions, and A&E Specifications are available in various formats in the QUAM Architects' and Engineers' Resources section on the web at:
www.QuamSpeakers.com

© 2013 Quam-Nichols Company reserves the right to make changes and/or improvements to its products at any time and without notice.



QUAM-NICHOLS COMPANY, INC.
234 East Marquette Rd.
Chicago, IL. 60637
Tel: 1-800-NEED-NOW (800-633-3669)
Fax: 1-888-NEED-NOW (888-633-3669)
e-mail: NeedNow@QNC.com
www.QuamSpeakers.com