Mini-Com® Stainless Steel Faceplates



specifications

Stainless steel faceplates with labels shall be available in 2, 4, and 6-port single gang and various double gang configurations. Each faceplate shall accept copper, fiber, and AV modules that snap in and out without the use of tools. Faceplates shall have flush profile, and optional built in label pocket for easy identification. Stainless steel material shall be attached to a high impact ABS backing to provide a durable faceplate with brushed stainless steel finish.



technical information

Material:	304 grade stainless steel with satin finish is mounted on ABS backing and is suitable for hospital and laboratory environments; easy to clean
Mounting options:	Screw holes spaced for single and double gang openings; compatible with Panduit wall board adapters
Packaging:	Supplied with two or four 1" long, #6-32 slotted head screws; faceplates packaged one per bag, ten per box; labeled faceplates include label kit

key features and benefits

Durable	Impact resistant material supports installations in high traffic
Modular	Accepts all Mini-Com® Modules which snap in and out for easy moves, adds, and changes
Various port densities	Provides design flexibility
Flush mounting	Provides superior aesthetics
Label version available	Can be clearly identified with optional labels for port identification
Sloped recessed	Allows proper bend radius

applications

Mini-Com® Stainless Steel Faceplates are ideal for use in hospitals, laboratories, schools, and office environments. The faceplates are compatible with most standard single and double gang electrical boxes, wall board

adapters, and raceway mounting brackets. These durable stainless steel faceplates are available with or without labels. Printable labels are available for compliance to the ANSI/TIA-606B labeling standard.

Single Gang Sloped Recessed Faceplates with Labels

2-port: CFPSL2S **4-port:** CFPSL4S

Single Gang Faceplates with Labels*

2-port: CFPL2SY **4-port:** CFPL4SY **6-port:** CFPL6SY

Label Options for Single Gang Faceplates

Laser/ink jet: C195X040Y1J **PanTher™ LS8E:** C196X040Y1C

Double Gang Faceplates with Labels

 4-port:
 CFPL4S-2GY

 6-port:
 CFPL6S-2GY

 8-port:
 CFPL8S-2GY

 10-port:
 CFPL10S-2GY

Label Options for Double Gang Faceplates

Laser/ink jet: C288X040Y1J **PanTher™ LS8E:** C288X040Y1C

Single Gang Faceplates without Labels*

2-port: CFP2SY **4-port:** CFP4SY **6-port:** CFP6SY

Label Options for Single Gang Faceplates

Laser/ink jet

2 *or* **4**-*port*: C061X030FJJ **6**-*port*: C188X030FJJ

PanTher™ LS8E

2 *or* **4**-*port*: C061X030FJC **6**-*port*: C188X030FJC

Double Gang Faceplates without Labels

4-port: CFP4S-2GY **8-port:** CFP8S-2GY **10-port:** CFP10S-2GY

Label Options for Double Gang Faceplates

Laser/ink jet

4-port: C061X030FJJ **8-port:** C125X030FJJ **10-port:** C315X030FJJ

PanTher™ LS8E

4-port: C061X030FJC **8-port:** C125X030FJC **10-port:** C315X030FJC


Wall Board Adapters

Single gang: MWBA1 Double gang MWBA-2G


*Four and six-port, single gang faceplates must be installed on a 1.9" wide (or wider) electrical back box.

Mini-Com® Stainless Steel Faceplates


2, 4, and 6-port single gang faceplate with label




4, 8, and 10-port double gang faceplate with label



2, 4, and 6-port single gang faceplates




4, 8, and 10-port double gang faceplates




Mini-Com® Stainless Steel Faceplates

2-port sloped recessed single gang faceplate with label



4-port sloped recessed single gang faceplate with label



Dimensions are in inches. [Dimensions in brackets are metric.]

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA Markham, Ontario cs-cdn@panduit.com Phone: 800.777.3300

PANDUIT EUROPE LTD. London, UK cs-emea@panduit.com Phone: 44.20.8601.7200 PANDUIT SINGAPORE PTE. LTD. Republic of Singapore cs-ap@panduit.com Phone: 65.6305.7575 PANDUIT JAPAN Tokyo, Japan cs-japan@panduit.com Phone: 81.3.6863.6000 PANDUIT LATIN AMERICA Guadalajara, Mexico cs-la@panduit.com Phone: 52.33.3777.6000 PANDUIT AUSTRALIA PTY. LTD. Victoria, Australia cs-aus@panduit.com Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty



Contact Customer Service by email: cs@panduit.com or by phone: 800.777.3300 ©2014 Panduit Corp. ALL RIGHTS RESERVED. OTSP45--WW-ENG Replaces WW-OTSP16 9/2014

