



CISCO® GLC-FE-100FX-RGD COMPATIBLE 100BASE-FX MMF SFP (MINI- GBIC) TRANSCEIVER MODULE

GLC-FE-100FXRGDLEG | [Quiktron](#)

FEATURES & BENEFITS

This Cisco GLC-FE-100FX-RGD compatible SFP transceiver provides 100Base-FX throughput up to 2km over multi-mode fiber (MMF) at a wavelength of 1310nm using a LC connector. It is also capable of withstanding rugged environments and can operate at temperatures between -40Â°C to +85Â°C. Our transceiver is guaranteed to be 100% compatible with the equivalent Cisco transceiver. This easy to install, hot swappable transceiver has been programmed, uniquely serialized and data-traffic and application tested to ensure that it will initialize and perform identically. It is built to meet or exceed the specifications of Cisco, as well as to comply with multi-source agreement (MSA) standards to ensure seamless network integration.



- Functionally identical to Cisco GLC-FE-100FX-RGD
- High speed 100-Megabit connectivity
- Transceiver type FX allows for connections up to 2km
- LC ports designed for use with Multimode fiber
- 1310nm wavelength signaling
- Rugged design withstands more extreme temperatures than a standard transceiver

General Specifications

• OEM Model: GLC-FE-100FX-RGD • Compatible OEM: Cisco

Technical Specifications

• Type: 100Base-FX • Wavelength: 1310nm • Media: Multimode fiber

Physical Specifications

• Product Dimensions: 0.3x0.5x2.2in • Product Weight: 0.15lbs

SPECIFICATIONS

GENERAL INFO

Color: Silver

Typical Applications: Multimode

Type: SFP Transceiver

Component Type: Transceiver Type FX

LISTING AGENCIES/THIRD PARTY CERTIFICATIONS

RoHS: Yes

DIMENSIONS

Height (US): 0.3in

Width (US): 0.5in

Product Weight (US): 0.15lbs

CORD INFORMATION

Connector Type End One: SFP

Connector Type End Two: LC

TECHNICAL INFORMATION

Fiber Capacity: 2