



# ELECTRIC LIFT MOBILE STAND

FPS1/**EL**/GG



Take control of creative, presentation and collaboration work spaces. Salamander's beautiful and highly functional FPS Series Mobile Stands offer superior ergonomics complimenting any touch screen display with improved productivity, unrivaled flexibility and lifetime value.

A stylish, sleek and compact design moves easily between spaces. A thoughtful range of accessories provides even more utility and an improved user experience.


- Mobile stand for interactive display / touchscreen panel
- Motorized Electric Lift and wired remote
- ADA Compliant
- Compatible with most large displays including 70" Screens, see VESA pattern and weight limits.
- Cisco® Sparkboard Compatible Stand Available, Model #FPS1/ELCS/GG
- Ergonomic design. Adjustable height positioning provides best possible ergonomics and viewing
- Superior mobility. High quality commercial grade locking casters and integrated handles provide easy maneuverability and transport
- Fully concealed cable management allows clean and uncluttered installation
- Range of travel, Center of screen : Min- 36.83" (935.5 mm) and Max 62.42" (1585.5 mm)
- Storage for electronic components, peripherals and accessories
- Telescopic design allows compact position for transport and storage
- Durable construction. Made in USA of powder coated steel, Linak Motor components, Powder coated and/or veneered MDF panels
- Options available for peripheral equipment mounting, retractable cable reel, secure equipment storage cover, keyboard tray and more
- Limited Lifetime Warranty





# ELECTRIC LIFT MOBILE STAND

FPS1/EL/GG





# ELECTRIC LIFT MOBILE STAND

FPS1/EL/GG

PRODUCT SPECIFICATIONS	Metric (mm)	US/Imperial Inches		SHIPPING DIMENSIONS		
Length	1215.2	47.84		1,219 mm	48 inch	
Overall Height Range	1146.6 - 1796.6	45.14 - 70.7		1,016 mm	40 inch	
Center of Screen Range of Travel	935.83 - 1585.5	36.83 - 62.42				
Depth	695.4	27.38		406 mm	16 inch	
Weight	61.23 kg	135 lbs		72.57 kg	160 lbs	
Max Load Capacity	79.38 kg	175 lbs				
UPC Number	634878507110					

## VESA COMPLIANT MOUNT PATTERN

Horizontal - 200mm, 300mm, 400mm, 600mm  
Vertical - 200mm, 300mm, 400mm  
Panel Mounting - M4, M5, M6 Screws

Cisco® Sparkboard Compatible Stand  
Available, Model #FPS1/ELCS/GG

## CASTER WHEELS

4" (100mm) HD, Non Marking, Brakes on 2

## ELECTRICAL INFORMATION

Input: 90V - 240V ~, 48 Hz - 63HZ  
Duty Cycle: 10% Max 2min / 18min

## CABLE MANAGER CHAIN

1" x .75" x 34" (25 x 19 x 865mm)

## POWER CABLE

IEC - Type Class 2, 2-prong  
USA Included: (PN 400-590)


Available:  
EU (PN 400-591)  
UK (PN 400-592)  
New Zealand, Australia and others (PN 400-593)






## ELECTRIC LIFT MOBILE STAND


FPS1/EL/GG




**Equipment Storage  
Cover- Graphite**  
FPSA/SC/GT




**Cable Reel 30' Payout, 24"  
Tri-Tap Female End**  
FPSA/CR




**19" Rack Mounting 3 RU**  
RM/VR/3U




**Power Distribution Unit**  
SA/RM/PDU




**Keyboard Storage  
Shelf- Graphite**  
FPSA/KS/GT




**Accessory Shelf  
with Straps**  
FPSA/AS1



**Camera Mount Shelf**  
FPSA/CS



**Speaker Bracket Kit**  
FPSA/SBK



**Wireless RF Remote  
Control with Memory**  
FPSA/RF1

### ROAD CASE

FOR EASY DEPLOYMENT

Combine a mobile stand with  
a road case to provide secure  
and convenient transport of  
your display.

Accommodates Stand & Display

FPSA/RC/EL

