Comb-style jumper bar; insulated; 10-way; IN = IN terminal block; gray

www.wago.com/280-490





Data

Geometrical Data

Width	50 mm / 1.969 inch
Depth	4 mm / 0.157 inch

Material Data

Color	gray
Fire load	0.032 MJ
Weight	4.9 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4044918846097
Customs tariff number	85366990990

Counterpart

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/280-490



Compatible products

tools	6
-------	---



Item no.: 280-440
Operating tool; made of insulating material; 10-way

www.wago.com/280-440

Downloads

Documentation

Bid Text

280-490 doc - Datei	Apr 27, 2017	doc 24.6 kB	Download
280-490 GAEB X81 - Datei	Feb 19, 2019	xml 2.6 kB	Download

CAD/CAE-Data

CAD data

	JRL	Download
--	-----	----------

CAE data

WSCAD Universe 280-490	URL	Download
------------------------	-----	----------

Installation Notes

Jumpered

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/280-490





Commoning with comb-style jumper bar.

Push comb-style jumper bar down until fully inserted.

Jumpered



4-conductor through terminal blocks, angled type –

formation of groups with 3-way, comb-style jumper bars


Jumpered

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

www.wago.com/280-490





Carrier terminal blocks with component plugs,

alternate comb-style jumper bars,

3-way, comb-style jumper bar

Jumpered



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.