# Data sheet | Item number: 210-720

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

www.wago.com/210-720







# Data Technical Data

Main product functionOperating toolNumber of pitches1-way

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

# Data sheet | Item number: 210-720

www.wago.com/210-720



### **Material Data**

Weight	29.8 g	
Commercial data		

Product Group	2 (Terminal Block Accessories)
Packaging type	bag
Country of origin	DE
GTIN	4045454937393
Customs tariff number	82055980000


## Counterpart

# **Downloads** Documentation

#### **Bid Text**

210-720 GAEB X81 - Datei	Feb 19, 2019	xml 2.8 kB	Download
210-720 doc - Datei	Sep 11, 2017	doc 24.1 kB	Download

## **Installation Notes**



The blade dimensions of the above-listed operating tools with a partially insulated shaft are ideal for easy operation of frontentry terminal blocks.

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27


32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

## Data sheet | Item number: 210-720

www.wago.com/210-720





The blade dimensions of the above-listed operating tools with a partially insulated shaft are ideal for easy operation of frontentry terminal blocks.

 $\label{lem:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.