

Data sheet | Item number: 281-483

Comb-style jumper bar; insulated; 3-way; IN = IN terminal block; gray

www.wago.com/281-483



Data

Geometrical Data

Width	18 mm / 0.709 inch
Depth	5 mm / 0.197 inch

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Material Data

Color	gray
Fire load	0.014 MJ
Weight	2.5 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4044918524254
Customs tariff number	85366990990

Counterpart

Compatible products

tools



Item no.: 280-433

Operating tool; made of insulating material; 3-way

www.wago.com/280-433

Downloads

Documentation

Bid Text

281-483	Apr 28, 2017	doc	Download
doc - Datei		24.6 kB	
281-483	Feb 19, 2019	xml	Download
GAEB X81 - Datei		2.6 kB	

CAD/CAE-Data

CAD data

2D/3D Models 281-483	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 281-483	URL	Download
------------------------	-----	----------


Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Installation Notes


Jumpered



Commoning with comb-style jumper bar.

Push comb-style jumper bar down until fully inserted.

Jumpered




4-conductor through terminal blocks, angled type –

formation of groups with 3-way, comb-style jumper bars

Jumpered

Subject to changes. Please also observe the further product documentation!




Carrier terminal blocks with component plugs,

alternate comb-style jumper bars,

3-way, comb-style jumper bar

Jumpered



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool.

Subject to changes. Please also observe the further product documentation!