



Item description

The WAGO Communication Cable provides a simple option for communication with WAGO software tools (WAGO-I/O-CHECK, WAGO-I/O-PRO, ...).

Notice: The communication cable shall not be connected or removed when energized.

Data

Technical Data

Connection type	4-pole male connector - D-sub 9 socket
Pole No.	4
Cable length	2.5 m

Geometrical Data

Width	15 mm / 0.591 inch
Height	50 mm / 1.97 inch
Depth	19 mm / 0.748 inch

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Mechanical data

Weight	79.2 g
Color	black

Environmental Requirements

Surrounding air temperature (operation)	0 ... 55 °C
Protection type	IP20

Commercial data

Product Group	15 (Remote I/O)
Packaging type	BOX
Country of origin	DE
GTIN	4045454394301
Customs tariff number	85444290900

Counterpart

Downloads

Documentation

Bid Text

750-920 doc - Datei	Jan 13, 2016	doc 23.6 kB	Download
750-920 GAEB X81 - Datei	Feb 19, 2019	xml 3.3 kB	Download

System Description

750/753 Series I/O-System – General Product Information	pdf 1.7 MB	Download
---	---------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 750-920	URL	Download
------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.