





Subject to changes. Please also observe the further product documentation!



M12-Stecker

Conductor size

Ø 6 ... 8 mm / 0.14 - 0.5 mm²

Data

Technical Data

Connection type	M12 plug
Pole No.	5
Cable connection direction to mating direction	0°
Connector interface coding (cable/adaptor) 1 1	A-coded

Connection data

Connection type (1)	Spring clamp technology
---------------------	-------------------------

Mechanical data

Connectable sheathed cable diameter	4 ... 6 mm
Weight	27 g

Environmental Requirements

Protection type	IP67
-----------------	------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4044918977470
Customs tariff number	85366990990

Counterpart

Downloads

Documentation

Bid Text

756-9202/050-000 doc - Datei	Sep 20, 2017	doc 24.6 kB	Download
756-9202/050-000 GAEB X81 - Datei	Feb 19, 2019	xml 2.8 kB	Download

System Description

IP67 Cables and Pluggable Connectors	pdf 293.9 kB	Download
--------------------------------------	-----------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 756-9202/050-000	URL	Download
---------------------------------	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.