


Data sheet | Item number: 286-895

Switching module; with changeover rocker switch; Switching voltage: 250 VAC; Switching current: 6 A; gray

www.wago.com/286-895



RoHS Compliant


[BOMcheck.net](https://www.bomcheck.net)

Color:

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Electrical data

Switching current (resistive) (max.)	6 A
Switching voltage (max.)	AC 250 V; DC 24 V
Contact gap	≥ 3 mm
Electrical life (NO; resistive load; 23 °C)	50×10^3 switching operations

Geometrical Data

Width	15 mm / 0.591 inch
Height from upper-edge of DIN-rail	85 mm / 3.346 inch
Depth	52 mm / 2.047 inch

Mechanical data

Mounting type	Pluggable module for receptacle terminal blocks
Housing design	Plug for carrier terminal blocks

Material Data

Color	gray
Fire load	0.404 MJ
Weight	20.5 g

Environmental Requirements

Surrounding air temperature (operation at U_N)	-20 ... 40 °C
---	---------------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Commercial data

Product Group	6 (Interface Electronics)
Packaging type	BOX
Country of origin	DE
GTIN	4045454399801
Customs tariff number	85365080900

Counterpart

Compatible products

General accessories


Item no.: 280-609

Terminal block for pluggable modules; 6-pole; with 4-conductor terminal blocks; with orange separator; www.wago.com/280-609 for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray


Item no.: 280-619

Terminal block for pluggable modules; 6-pole; with 2-conductor terminal blocks; with orange separator; www.wago.com/280-619 for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray


Item no.: 280-763

Terminal block for pluggable modules; 6-pole; with 4-conductor terminal blocks; with marker carrier; www.wago.com/280-763 with orange separator; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray

Marking accessories


Item no.: 209-701

WSB marking card; as card; not stretchable; plain; snap-on type; white

www.wago.com/209-701


Item no.: 209-701/000-002

WSB marking card; as card; not stretchable; plain; snap-on type; yellow

www.wago.com/209-701/000-002


Item no.: 209-701/000-005

WSB marking card; as card; not stretchable; plain; snap-on type; red

www.wago.com/209-701/000-005


Item no.: 209-701/000-006

WSB marking card; as card; not stretchable; plain; snap-on type; blue

www.wago.com/209-701/000-006


Item no.: 209-701/000-007

WSB marking card; as card; not stretchable; plain; snap-on type; gray

www.wago.com/209-701/000-007


Item no.: 209-701/000-012

WSB marking card; as card; not stretchable; plain; snap-on type; orange

www.wago.com/209-701/000-012

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 209-701/000-017**

WSB marking card; as card; not stretchable; plain; snap-on type; light green

www.wago.com/209-701/000-017**Item no.: 209-701/000-023**

WSB marking card; as card; not stretchable; plain; snap-on type; green

www.wago.com/209-701/000-023**Item no.: 209-701/000-024**

WSB marking card; as card; not stretchable; plain; snap-on type; violet

www.wago.com/209-701/000-024

Downloads

Documentation

Bid Text

286-895	Apr 1, 2015	doc	Download
doc - Datei		24.6 kB	

286-895	Feb 19, 2019	xml	Download
GAEB X81 - Datei		3.1 kB	

Instruction Leaflet

pdf
1.3 MB

Download

CAD/CAE-Data

CAD data

2D/3D Models 286-895	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 286-895	URL	Download
------------------------	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.