


Data sheet | Item number: 286-896

Switching module; with momentary switch; Switching voltage: 250 VAC;

Switching current: 6 A; gray


www.wago.com/286-896



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Electrical data

Power consumption at nominal supply voltage	0
Switching current (resistive) (max.)	6 A
Switching voltage (max.)	AC 250 V; DC 24 V
Contact gap	≥ 3 mm
Electrical life (NO; resistive load; 23 °C)	50×10^3 switching operations

Geometrical Data

Width	15 mm / 0.591 inch
Height from upper-edge of DIN-rail	85 mm / 3.346 inch
Depth	52 mm / 2.047 inch

Mechanical data

Mounting type	Pluggable module for receptacle terminal blocks
Housing design	Plug for carrier terminal blocks

Material Data

Color	gray
Fire load	0.406 MJ
Weight	19.5 g

Subject to changes. Please also observe the further product documentation!

Environmental Requirements

Surrounding air temperature (operation at U_N)	-20 ... 40 °C
---	---------------

Commercial data

Product Group	6 (Interface Electronics)
Packaging type	BOX
Country of origin	DE
GTIN	4045454198190
Customs tariff number	85365080900

Counterpart

Compatible products

General accessories

	Item no.: 280-609 Terminal block for pluggable modules; 6-pole; with 4-conductor terminal blocks; with orange separator; www.wago.com/280-609 for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	
	Item no.: 280-619 Terminal block for pluggable modules; 6-pole; with 2-conductor terminal blocks; with orange separator; www.wago.com/280-619 for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	
	Item no.: 280-763 Terminal block for pluggable modules; 6-pole; with 4-conductor terminal blocks; with marker carrier; www.wago.com/280-763 with orange separator; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	

Marking accessories

	Item no.: 209-701 WSB marking card; as card; not stretchable; plain; snap-on type; white	www.wago.com/209-701
	Item no.: 209-701/000-002 WSB marking card; as card; not stretchable; plain; snap-on type; yellow	www.wago.com/209-701/000-002
	Item no.: 209-701/000-005 WSB marking card; as card; not stretchable; plain; snap-on type; red	www.wago.com/209-701/000-005
	Item no.: 209-701/000-006 WSB marking card; as card; not stretchable; plain; snap-on type; blue	www.wago.com/209-701/000-006

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 209-701/000-007**

WSB marking card; as card; not stretchable; plain; snap-on type; gray

www.wago.com/209-701/000-007**Item no.: 209-701/000-012**

WSB marking card; as card; not stretchable; plain; snap-on type; orange

www.wago.com/209-701/000-012**Item no.: 209-701/000-017**

WSB marking card; as card; not stretchable; plain; snap-on type; light green

www.wago.com/209-701/000-017**Item no.: 209-701/000-023**

WSB marking card; as card; not stretchable; plain; snap-on type; green

www.wago.com/209-701/000-023**Item no.: 209-701/000-024**

WSB marking card; as card; not stretchable; plain; snap-on type; violet

www.wago.com/209-701/000-024

Downloads

Documentation

Bid Text

286-896 doc - Datei	Apr 1, 2015	doc 24.6 kB	Download
------------------------	-------------	----------------	----------

286-896 GAEB X81 - Datei	Feb 19, 2019	xml 3.1 kB	Download
-----------------------------	--------------	---------------	----------

Instruction Leaflet

pdf 1.3 MB	Download
---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 286-896	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 286-896	URL	Download
------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.